


# PASS & SEYMOUR® radiant® Screwless Wall Plates




## **Features & Benefits**

# Modern low-profile Screwless Wall Plates fit for today's homes and hospitality settings.

RWP26, RWP262, RWP263, RWP264, RWP265, RWP266

Part of the redesigned radiant<sup>®</sup> collection of wiring devices and home automation controls, Legrand's broad offering of screwless wall plates are a step above ordinary with modern low profiles that fit more flush to the wall than standard wall plates. These wall plates color-match radiant<sup>®</sup> devices and are equipped with one-piece plastic subplates and screws to align devices and ensure proper positioning. Ideal for residential, multi-dwelling, commercial office and hospitality applications, radiant<sup>®</sup> screwless wall plates are available in one- to six-gang configurations, each in six standard colors and two metallic finishes.



- Part of the radiant<sup>®</sup> collection.
- New, lower profile.


• Available in Ivory, White, Brown, Gray, Black, and Light Almond; and two metallic finishes – Nickel, Dark Bronze.

### **3rd Party Compliance**

cus Listed to UL514. CSA Certified.



### Wall Plate Dimensions/Materials



#### Materials

Body Construction	Molded of .065" thick polycarbonate
Sub-plate Construction	Polyphenylene Ether and Polystyrene
Mounting Screws	Steel

## **Ordering Information**

radiant<sup>®</sup> Metallic Finish Screwless Wall Plates – Polycarbonate Screwless 26 Openings – Plastic Subplate included

Description	Color	26 Openings	
One Gang	Nickel	RWP26NI	
	Dark Bronze	RWP26DBCC6	
Two Gang	Nickel	RWP262NI	
	Dark Bronze	RWP262DBCC6	
Three Gang	Nickel	RWP263NI	
	Dark Bronze	RWP263DBCC6	
Four Gang	Nickel	RWP264NI	
	Dark Bronze	RWP264DB	
Five Gang	Nickel	RWP265NI	
	Dark Bronze	RWP265DB	
Six Gang	Nickel	RWP266NI	
	Dark Bronze	RWP266DB	

#### radiant<sup>®</sup> Screwless Polycarbonate Wall Plates

- Available in 26-style openings.
- Extra 3/8" width and height than standard size wall plates.
- Provide better sheet rock coverage with standard size appearance.
- Molded of .065" thick polycarbonate.
- One-piece plastic subplate.
- Available in two metallic finishes and six standard colors.

Wall Pl	ate Dimensions	Subpla	te Dimensions
1 gang	3.15" x 4.94"	1 gang	1.81" x 4.78" x .15"
2 gang	4.96" x 4.94"	2 gang	3.62" x 4.78" x .15"
3 gang	6.77" x 4.94"	3 gang	5.44" x 4.78" x .15"
4 gang	8.59" x 4. 94"	4 gang	7.25" x 4.78" x .15"
5 gang	10.40" x 4.94"	5 gang	9.06" x 4.78" x .15"
6 gang	12.21" x 4.94"	6 gang	10.87" x 4.78" x .15"






Two Gang Dark Bronze




## **Ordering Information**

Description	Color	26 Openings
One Gang	lvory	RWP26I
	White	RWP26W
	Brown	RWP26
	Gray	RWP26GRY
	Black	RWP26BK
	Light Almond	RWP26LA
Гwo Gang	lvory	RWP262I
	White	RWP262W
	Brown	RWP262
	Gray	RWP262GRY
	Black	RWP262BK
	Light Almond	RWP262LA
Three Gang	lvory	RWP263I
	White	RWP263W
	Brown	RWP263
	Gray	RWP263GRY
	Black	RWP263BK
	Light Almond	RWP263LA
our Gang	lvory	RWP264I
	White	RWP264W
	Brown	RWP264
	Gray	RWP264GRY
	Black	RWP264BK
	Light Almond	RWP264LA
ive Gang	lvory	RWP265I
	White	RWP265W
	Brown	RWP265
	Gray	RWP265GRY
	Black	RWP265BK
	Light Almond	RWP265LA
ix Gang	lvory	RWP266I
	White	RWP266W
	Brown	RWP266
	Gray	RWP266GRY
	Black	RWP266BK
	Light Almond	RWP266LA










Four Gang



One Gang Plastic Subplate Plastic Subplate

Two Gang

#### **Screwless 26 Openings** Plastic Subplate included

Description	Height	Width
One Gang	4.94"	3.15"
Two Gang	4.94"	4.96"
Three Gang	4.94"	6.77"
Four Gang	4.94"	8.59"
Five Gang	4.94"	10.40"
Six Gang	4.94"	12.21"

### **Screwless Plastic Subplate** Dimensions

Description	Height	Width
One Gang	4.78"	1.81"
Two Gang	4.78"	3.62"
Three Gang	4.78"	5.44"
Four Gang	4.78"	7.25"
Five Gang	4.78"	9.06"
Six Gang	4.78"	10.87"



### **Vertical Markets**

 Office Residential • Multiple Dwelling Hospitality/Lodging Also available in the radiant<sup>®</sup> collection GFCI Receptacles • Paddle Switches • Night Lights Sensors • Standard & Tamper-• Lighting & Fan Controls • Home Automation Controls Combination Devices **Resistant Receptacles** • Timers • USB Charging Devices

The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act complaint. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



Legrand, North America 60 Woodlawn Street West Hartford, CT 06110 1.877.BY.LEGRAND (295.3472) www.legrand.us 570 Applewood Crescent Vaughan, Ontario L4K 4B4 905.738.9195

www.legrand.ca

